


HEXAGON_NUTS_DIN_934



Property Class	Stainless
	A2 & A4
Finish	Plain
Thread Tolerance	6H

Thread Size d1	Coarse Pitch	WAF s	DIN	ISO	Thickness m	DIN 934	ISO	WAC e	DIN	ISO
			934 (1987)	4032 (1986)		(1987)	4032 (1986)		(1987)	(1986)
1.6	0.35	min.	3.02	3.02	min.	1.05	1.05	min.	3.41	3.41
		max.=	3.20	3.20	max.= nominal	1.30	1.30			
2	0.4	min.	3.82	3.82	min.	1.35	1.35	min.	4.32	4.32
		max.=	4.00	4.00	max.= nominal	1.60	1.60			
2.5	0.45	min.	4.82	4.82	min.	1.75	1.75	min.	5.45	5.45
		max.=	5.00	5.00	max.= nominal	2.00	2.00			
3	0.5	min.	5.32	5.32	min.	2.15	2.15	min.	6.01	6.01
		max.=	5.50	5.50	max.= nominal	2.40	2.40			
(3.5)	0.6	min.	5.82	5.82	min.	2.55	2.55	min.	6.58	6.58
		max.=	6.00	6.00	max.= nominal	2.80	2.80			
4	0.7	min.	6.78	6.78	min.	2.9	2.9	min.	7.66	7.66
		max.=	7.00	7.00	max.= nominal	3.2	3.2			
5	0.8	min.	7.78	7.78	min.	3.7	4.4	min.	8.79	8.79
		max.=	8.00	8.00	max.= nominal	4.0	4.7			
6	1	min.	9.78	9.78	min.	4.7	4.9	min.	11.05	11.05
		max.=	10.00	10.00	max.= nominal	5.0	5.2			
(7)	1	min.	10.73		min.	5.2		min.	12.12	
		max.=	11.00		max.= nominal	5.5				
8	1.25	min.	12.73	12.73	min.	6.14	6.44	min.	14.38	14.38
		max.=	13.00	13.00	max.= nominal	6.50	6.80			
10	1.5	min.	16.73	15.73	min.	7.64	8.04	min.	18.90	17.77
		max.=	17.00	16.00	max.= nominal	8.00	8.40			
12	1.75	min.	18.67	17.73	min.	9.64	10.37	min.	21.10	20.03
		max.=	19.00	18.00	max.= nominal	10.00	10.80			
14	2	min.	21.67	20.67	min.	10.3	12.1	min.	24.49	23.35
		max.=	22.00	21.00	max.= nominal	11.0	12.8			
16	2	min.	23.67	23.67	min.	12.3	14.1	min.	26.75	26.75
		max.=	24.00	24.00	max.= nominal	13.0	14.8			
(18)	2.5	min.	26.16	26.16	min.	14.3	15.1	min.	29.56	29.56
		max.=	27.00	27.00	max.= nominal	15.0	15.8			
20	2.5	min.	29.16	29.16	min.	14.9	16.9	min.	32.95	32.95
		max.=	30.00	30.00	max.= nominal	16.0	18.0			
(22)	2.5	min.	31	33	min.	16.9	18.1	min.	35.03	37.29
		max.=	32	34	max.= nominal	18.0	19.4			
24	3	min.	35	35	min.	17.7	20.2	min.	39.55	39.55
		max.=	36	36	max.= nominal	19.0	21.5			
(27)	3	min.	40	40	min.	20.7	22.5	min.	45.2	45.2
		max.=	41	41	max.= nominal	22.0	23.8			
30	3.5	min.	45	45	min.	22.7	24.3	min.	50.85	50.85
		max.=	46	46	max.= nominal	24.0	25.6			
(33)	3.5	min.	49	49	min.	24.7	27.4	min.	55.37	55.37
		max.=	50	50	max.= nominal	26.0	28.7			
36	4	min.	53.8	53.8	min.	27.4	29.4	min.	60.79	60.79
		max.=	55.0	55.0	max.= nominal	29.0	31.0			
(39)	4	min.	58.8	58.8	min.	29.4	31.8	min.	66.44	66.44
		max.=	60.0	60.0	max.= nominal	31.0	33.4			

* All dimensions are in mm.

* All the data are for informative purpose only

