



# NYLOCK NUT \_DIN 985



Nominal Size	pitch	Width Across Flats		Width Across Corners	Thickness		Wrenching Height	
		s		e	h		m	m1
		Max	Min	Min	Max	Min	Min	min
M3	0.5	5.50	5.32	6.01	4	3.7	2.4	1.65
M4	0.7	7.00	6.78	7.66	5	4.7	2.9	2.2
M5	0.8	8.00	7.78	8.79	5	4.7	3.2	2.75
M6	1	10.00	9.78	11.05	6	5.7	4	3.3
M7	1	11.00	10.73	12.12	7.5	7.14	4.7	3.85
M8	1.25	13.00	12.73	14.38	8	7.64	5.5	4.4
M10	1.5	17.00	16.73	18.90	10	9.64	6.5	5.5
M12	1.75	19.00	18.67	21.10	12	11.57	8	6.6
M14	2	22.00	21.67	24.49	14	13.3	9.5	7.7
M16	2	24.00	23.67	26.75	16	15.3	10.5	8.8
M18	2.5	27.00	26.16	29.56	18	17.66	13	9.9
M20	2.5	30.00	29.16	32.95	20	18.7	14	11

\*All dimensions are in mm.

# NYLOCK NUT\_DIN 982



Nominal size and thread diameter $d$	p1	e	h		m	m2	s	
	(coarse pitch series)	min.	min.	nom.	min.	min.	min.	nom.
M5	0.8	8.79	6	6.3	4.4	3.52	7.78	8
M6	1	11.05	7.7	8	4.9	3.92	9.78	10
M7	1	12.12	8.2	8.5	6.14	4.91	10.73	11
M8	1.25	14.38	9.14	9.5	6.44	5.15	12.73	13
M10	1.5	18.9	11.14	11.5	8.04	6.43	16.73	17
M12	1.75	21.1	13.64	14	10.37	8.3	18.67	19
M14	2	24.49	15.3	16	12.1	9.68	21.67	22
M16	2	26.75	17.3	18	14.1	11.28	23.67	24
M18	2.5	29.56	19.16	20	15.1	12.08	26.18	27
M20	2.5	32.95	20.7	22	16.9	13.52	29.16	30
M22	2.5	35.03	23.7	25	18.1	14.48	31	32
M24	3	39.55	26.7	28	20.2	16.16	35	36

\* All dimensions are in mm.

